

THAI SIN RUBBER INDUSTRY CO.,LTD.



STANDARD STREET SERIES AND MOPED



SF-1

2.50-16	2.50-17
3.00-16	2.50-18
2.25-17	



SF-2

2.75-14	2.75-18
2.50-16	3.25-19
2.25-17	2.75-18 TL



SF-3

3.00-16	3.00-17
2.25-17	2.50-18
2.50-17	3.00-19



SR-4

2.00-17	2.00-19
2 1/4-17	
2 1/4-18	



SR-6

2.75-14	
2.50-17	



SR-8

2.75-14
3.00-17
3.25-17
3.50-17
3.25-18
3.50-18



SR-9

3.00-16
2.25-17
2.50-17
2.75-17
2.50-18



SR-10

2.50-16	2.25-18
3.00-16	2.50-18
2.25-17	2.75-18
2.50-17	3.00-18
2.75-17	
3.00-17	



SR-11

3.00-18



SR-13

2.75-16
2.75-17

- ALL PATTERN AND SIZES CAN MAKE TUBE TYPE AND TUBELESS

- ยางทุกลายและทุกขนาดสามารถผลิตทั้งแบบปั้ใช้ยางในและไม่ใช้ยางใน

**SR-15**

2 1/4-16	2.25-19
2.25-17	

**SR-16**

2.50-16
2.50-17

**SR-19**

2.25-17
2.50-17

**SR-22**

2.25-17	2.50-18
2.50-17	2.75-18

**SR-23**

3.00-19

**SR-28**

3.00-16

**SF-29**

2.50-17	2.50-18
---------	---------

**SF-32**

3.00-16

**SR-33**

3.00-18

**SF-34**

2.25-17

**SR-36**

2.75-18

**SR-42**

2.50-17

**SR-43**

3.00-16	3.00-17
2.50-17	2.75-18
2.75-17	3.00-18

**SF-44**

2.50-17

**SR-45**

2.50-17
2.75-17

**SR-46**

3.00-18

**SR-47**

3.00-17

**SF-49**

2.50-18

**SR-59**

2 3/4-17

**SR-69**

110/90-16 TL

**SR-70**

4.00-17	4.50-17
---------	---------

**SR-73**

3.50-18 TL

**SR-75**

110/90-17 TL



SHF-4

2.25-17(60/100-17)



SHR-5

2.50-17(70/100-17)



SHR-9

200-17(50/100-17)
2.25-17(60/100-17)
2.50-17(70/90-17)



SHR-10

2.25-17(60/100-17)
2.50-17(70/90-17)
2.75-17(80/90-17)



SHR-11

2.25-17(60/100-17)



SHR-12

2.25-17(60/100-17)



SHR-15

2.25-17(60/100-17)



SHR-20

2.25-17(60/100-17)
2.50-17(70/90-17)



SHR-21

2.25-17(60/100-17)
2.50-17(70/90-17)



SHR-23

2.25-17(60/100-17)
2.50-17(70/90-17)
2.75-17(80/90-17)



SHR-24

2.50-17(70/90-17)



SHR-28

2.25-17(60/100-17)
2.50-17(70/90-17)



SHR-30

2.25-17(60/100-17)
2.50-17(70/90-17)



SHR-31

70/90-14	80/90-14
90/90-14	110/90-16

2.25-17(60/100-17)
2.50-17(70/90-17)
2.75-17(80/90-17)



SHR-40

2.00-17(50/100-17)
2.25-17(60/100-17)



SHR-43

2.25-17(60/100-17)



SHR-44

2.25-17(60/100-17)



SHR-46

2.50-14(70/90-14)



SHR-47

2.25-17(60/100-17)



SHR-48

2.50-17(70/100-17)
2.75-17(80/100-17)



SHR-49

2.50-17(70/100-17)
2.75-17(80/100-17)



SHR-50

2.25-17(60/100-17)



SHR-51

2.75-14(80/90-14)



SHR-52

2.50-17(70/90-17)
2.50-17(70/100-17)



SHR-53

110/90-16 TL
110/90-16 TT

**SHR-56**

70/90-14 TL
80/90-14 TL
90/90-14 TL
100/90-14 TL
80/90-17 TL

**SHR-57**

2.50-17(70/90-17)
2.50-17(70/100-17)

**SHR-58**

70/90-17 T/L
80/90-17 T/L
90/80-17 T/L

**SHR-60**

2.25-17(60/100-17)

**SHR-61**

2.50-17(70/90-17)
2.75-17(80/90-17)

**SHR-68**

2.25-17(60/100-17)
2.50-17(70/90-17)
2.75-17(80/90-17)

**SHR-71**

90/90-18 TL

**SHR-72**

100/90-18 TL

**SHR-74**

100/90-17 TL

**SHR-77**

80/90-14 TL
90/90-14 TL
100/90-14 TL

HI SPEED LOW PROFILE

**HR-1**

2.50-17
2.50-18

**HR-31**

2.00-14(50/70-14)
2.25-14(60/70-14)
2.50-16(70/70-16)
2.75-16(80/70-16)

1.75-17
1.85-17(45/70-17)
2.00-17(50/70-17)
2.25-17(60/70-17)
2.50-17(70/70-17)

**HR-18**

2.75-17(80/70-17)
2.50-17(70/90-17)
2.25-17(60/90-17)
2.00-17(50/90-17)
1.85-17(45/90-17)

2.25-17(60/70-17)
2.50-17(70/70-17)

**HR-41**

50/100-17

**HR-43**

2.00-17(50/70-17)

**HR-54**

45/90-17 50/80-17
50/100-17 60/90-17
70/90-17 80/90-17

**HR-55**

2.00-17(50/70-17)
2.25-17(60/70-17)
2.50-17(70/70-17)



T-1

2.50-17	2.50-18
2.75-17	3.50-18
	2.75-21



T-2

3.50-18	2.75-21
4.10-18	



T-6

2.75-14	2.75-18
2.50-17	3.00-18



T-7

2.25-17
2.50-17
2.75-17

MOTOCROSS



M-1

4.00-18



SM-4

2.25-17
2.50-17
2.75-17
3.00-17



M-5

80/100-12	90/100-16
60/100-14	60/100-17
70/100-14	70/100-17
80/100-14	80/100-17
90/100-14	90/100-17
110/100-14	100/100-17



M-6

12X45



M-7

2.25-17
2.50-17
2.75-17

SCOOTER



HR-31 TL

90/90-12 TL
100/90-12 TL
110/90-12 TL
110/70-12 TL
120/70-12 TL
130/70-12 TL
140/70-12 TL
110/70-13 TL
120/70-13 TL
130/60-13 TL
130/70-13 TL



HR-64 TL

110/70-12 TL
120/70-12 TL
130/70-12 TL



HR-65 TL

110/70-12 TL
120/70-12 TL
130/70-12 TL



HR-66 TL

90/90-12 TL
100/90-12 TL
110/90-12 TL
110/70-12 TL
120/70-12 TL
130/70-12 TL
140/70-12 TL

SCOOTER



HR-67 TL

- 90/90-10 TL
- 100/90-10 TL
- 110/70-10 TL
- 120/70-10 TL
- 110/70-11 TL
- 120/70-11 TL
- 90/90-12 TL
- 100/90-12 TL
- 110/90-12 TL
- 110/70-12 TL
- 120/70-12 TL
- 130/70-12 TL
- 140/70-12 TL
- 150/60-12 TL
- 80/90-14 TL
- 90/90-14 TL
- 100/90-14 TL



HR-76 TL

- 110/70-12 TL
- 120/70-12 TL
- 130/70-12 TL
- 140/70-12 TL
- 90/90-12 TL
- 100/90-12 TL
- 110/90-12 TL



HR-78 TL

- 110/70-12 TL
- 120/70-12 TL
- 130/70-12 TL
- 140/70-12 TL
- 90/90-12 TL
- 100/90-12 TL
- 110/90-12 TL
- 80/90-14 TL
- 90/90-14 TL
- 100/90-14 TL
- 110/90-14 TL
- 110/70-14 TL
- 120/70-14 TL
- 130/70-14 TL



C-3

4.00-8



C-4

4.00-8

BIGBIKE TUBELESS



HR-67 TL

- 110/70-17 TL
- 120/70-17 TL
- 130/70-17 TL
- 140/70-17 TL
- 150/60-17 TL



HR-78 TL

- 110/70-17 TL
- 120/70-17 TL
- 130/70-17 TL
- 140/70-17 TL
- 150/60-17 TL

TUBE




2.75/3.00-12	2.00-14	2.75-16	1.75-17	2.50-18
3.50-12	2.25-14	3.00-16	1.85-17	2.75-18
4.00-12	2.50-14	4.00-16	2.00-17	3.00-18
	2.75-14		2.25-17	
	3.00-14		2.50-17	
	3.50-14		2.75-17	
	2.50-16		3.00-17	
			4.00-17	
			4.50-17	



PRODUCT LIST

NO.	SIZE	PATTERN	NO.	SIZE	PATTERN	NO.	SIZE	PATTERN	
1.SCOOTER TYRE									
1	300-8	HR19	52	275-17(70/60-17)	SR10	114	250-17	M7	
2	350-8	C1,C2,C5,C8,C9	53	275-17(80/100-17)	S 482	115	275-17	M7	
3	400-8	C3,C4,C6	54	275-17	SR9,SR13,SR39,SR41,SR45	116	400-18	M1	
4	275-10	C7,HR19	55	300-17	SF3,SR8,SR10,SR43,SR47	117	120/100-18	M3	
5	300-10	C2,C6,C8,HR19	56	3.25-17	SR08	118	80/100-21	M2	
6	350-10	C1,C2,C8,C9,	57	3.50-17	SR08	119	225-17	SM4	
7	200-14(50/70-14)	HR31	58	400-17	SR70	120	250-17	SM4,	
8	225-14(60/70-14)	HR31	59	450-17	SR70	121	275-17	SM4,	
9	250-14(70/70-14)	HR31	60	110/90-17	SR75 T/L	122	300-17	SM4	
10	250-14(70/90-14)	HR46	61	300-18	SF31,SR10,SR11,SR33,SR46	7.TUBELESS TYRES			
11	275-14(80/70-14)	HR31	62	2.14-18	SR4	123	90/90-10	SHR67 T/L	
12	275-14(80/90-14)	HR51	63	225-18	SR10	124	100/90-10	SHR67 T/L	
13	275-14(80/100-14)	HR2	64	250-18	SF1,SF3,SF29,SF49,SR7,SR9,SR10,SR12,SR22,SR26	125	110/70-10	HR67 T/L	
14	90/70-14	HR31	65	275-18	SF01,SF2,SF48,SR10,SR14,SR22	126	120/70-10	HR67 T/L	
15	110/70-14	HR31	66	275-18 (70/100 -18)	SR36	127	350-10	C9 T/L	
16	120/70-14	HR31	67	325-18	SR8	128	110/70-11	HR67 T/L	
17	130/70-14	HR31	68	350-18	SR8,SR38,SR73 T/L	129	120/70-11	HR67 T/L	
18	250-16(70/70-16)	HR11,HR12,HR16,HR17,HR31	69	200-19	SR4	130	110/70-12	HR31 T/L, HR64 T/L, HR65 T/L, HR66 T/L,HR67 T/L, HR76 T/L, HR78 T/L	
19	275-16(80/70-16)	HR11,HR16,HR31	70	225-19	SR15	131	120/70-12	HR31 T/L, HR64 T/L, HR65 T/L, HR66 T/L, HR67 T/L, HR76 T/L, HR78 T/L	
20	185-17(45/70-17)	HR31,HR42	71	300-19	SF3,SR23		132	130/70-12	HR31 T/L, HR64 T/L, HR65 T/L, HR66 T/L, HR67 T/L, HR76 T/L, HR78 T/L
21	45/90-17	HR54	72	325-19	SF2			133	140/70-12
22	200-17(50/70-17)	HR9,HR10,HR11,HR12,HR17,HR20,HR21,HR22,HR23,HR24,HR25,HR26,HR27,HR28,HR29,HR30,HR31,HR33,HR37,HR38,HR39,HR40,HR42 ,HR43,HR55	73	350-19	SR20,SR38	134	150/60-12		HR67 T/L
23	50/80-17	HR54	74	250-17(70/90-14)	SHR31	135	90/90-12	SHR31 T/L, SHR66 T/L, SHR67 T/L, SHR76 T/L, SHR78 T/L	
24	200-17(50/90-17)	HR31,PHR31,PHR39 ,HR41	75	250-14(70/90-14)	SHR46	136	100/90-12	SHR31 T/L, SHR66 T/L, SHR67 T/L, SHR76 T/L, SHR78 T/L	
25	50/100-17	HR41,HR47,HR54	76	275-14(80/90-14)	SHR31,SHR51	137	110/90-12	SHR31 T/L, SHR66 T/L, SHR67 T/L, SHR76 T/L, SHR78 T/L	
26	225-17(60/70-17)	HF4,VHR-31,PHR31,HR9,HR10,HR11,HR12,HR13,HR14,HR15,HR16,HR17,HR18,HR19,HR20,HR21,HR22,HR23,HR24,HR25,HR26,HR27,HR28,HR29,HR30,HR31,HR32,HR33,HR36,HR37,HR38,HR39,HR40,HR42,HR55	77	90/90-14	SHR31	138	110/70-13	HR31 T/L	
27	60/90-17	HR54	78	110/90-16	SHR31,SHR53	139	120/70-13	HR31 T/L	
28	225-17 (60/90-17)	HR31,HR35	79	200-17(50/100-17)	SHR9,SHR40,SHR41	140	130/70-13	HR31 T/L	
29	225-17 (60/100-17)	HR47	80	225-17 (60/100-17)	SHF4,SHR6,SHR7,SHR9,SHR40,SHR47,SHR43,SHR44,SHR45,SHR60,SHR68,SHR10,SHR20,SHR21,SHR23,SHR24,SHR28,SHR30,SHR50,SHR58,SHR52,SHR57,SHR61,SHR62,SHR68	141	130/60-13	HR31 T/L	
30	250-17(70/70-17)	HF4,HR5,HR9,HR10,HR11,HR12,HR13,HR14,HR15,HR16,HR17,HR18,HR19,HR20,HR21,HR22,HR23,HR24,HR25,HR26,HR27,HR28,HR29,HR30,HR31,HR33,HR36,HR37,HR38,HR39,HR40,HR42,HR55	81	250-17(70/90-17)	SHR1,SHR3,SHR5,SHR6,SHR7,SHR48,SHR49,SHR50	142	110/70-14	HR31 T/L, HR78 T/L	
31	70/90-17	HR54	82	250-17(70/100-17)	SHR10,SHR23,SHR61,SHR62,SHR68	143	120/70-14	HR31 T/L, HR78 T/L	
32	250-17(70/90-17)	HR31,HR34,HR35,HR50,HR52,PHR39	83	275-17(80/90-17)	SHR10,SHR23,SHR61,SHR62,SHR68	144	130/70-14	HR31 T/L, HR78 T/L	
33	250-18(70/70-18)	HR9,HR11,HR14,HR16,HR17	84	80/90-17	SHR54	145	140/70-14	HR31 T/L	
34	275-17(80/70-17)	HR10,HR11,HR19,HR31,HR34,HR35	85	275-17(80/100-17)	SHR48,SHR49	146	70/90-14	SHR31 T/L, SHR56 T/L	
35	275-18(80/70-18)	HR11,HR17	86	250-18(70/100-18)	SHR1	147	80/90-14	SHR31 T/L, SHR56 T/L, SHR67 T/L, SHR77 T/L, SHR78 T/L	
36	300-18	HR6	87	275-14	T6	148	90/90-14	SHR31 T/L, SHR56 T/L, SHR67 T/L, SHR77 T/L,SHR78 T/L	
3.STANDARD STREET&MOPED TYRE			88	300-16	T7	149	100/90-14	SHR31 T/L, SHR56 T/L, SHR67 T/L, SHR77 T/L, SHR78 T/L	
37	225-14	SR21	89	225-17	T7	150	110/90-14	SHR31 T/L,SHR78 T/L	
38	275-14	SF2,SR6,SR8	90	250-17	T1,T6,T7	151	110/90-16	SHR53 T/L,	
39	250-16	SF1,SR10,SR16	91	275-17	T1,T7	152	70/90-17	SHR58 T/L	
40	2.1/4-16	SR15	92	250-18	T1	153	80/90-17	SHR56 T/L, SHR58 T/L	
41	225-16	SR17	93	275-18	T6	154	90/80-17	SHR58 T/L	
42	2.1/2-16	SR20	94	300-18	T6	6.MOTORCROSS TYRE			
43	275-16	SR13	95	350-18	T1,T2	155	110/70-17	HR67 T/L, HR78 T/L	
44	300-16	SF1,SF3,SF30,SF32,SF37,SR9,SR10,SR18,SR28	96	400-18	T3,T4	156	120/70-17	HR67 T/L, HR78 T/L	
45	110/90-16	SR69 T/L	97	410-18	T2	157	130/70-17	HR67 T/L, HR78 T/L	
46	2.00-17	SR4,SR16	98	275-21	T1,T2	158	140/70-17	HR67 T/L, HR78 T/L	
47	2.1/2-17	SR4	99	300-21	T4	159	150/60-17	HR67 T/L, HR78 T/L	
48	2.1/4-17	SR4,SR5,SR25,SR59	100	80/100-12	M5	160	100/90-17	SHR74 T/L	
49	2.3/4-17	SR59	101	60/100-14	M5	161	275-18	SF2 T/L	
50	225-17	SF1,SF2,SF3,SF34,SR5,SR7,SR9,SR10,SR15,SR16,SR17,SR19,SR22,SR24,SR27	102	70/100-14	M5	162	90/90-18	SHR71 T/L	
51	250-17	SF1,SF3,SF29,SF44,SR6,SR7,SR9,SR10,SR12,SR16,SR22,SR27,SR35,SR39,SR40,SR42,SR45	103	80/100-14	M5	163	100/90-18	SHR72 T/L	
			104	90/100-14	M5	8.TRI MOTORCYCLE TYRE			
			105	110/100-14	M5	164	300-16	SR43,	
			106	90/100-16	M5	165	250-17	SR43	
			107	60/100-17	M5	166	275-17	SR43	
			108	70/100-17	M5	167	275-18	SR43	
			109	80/100-17	M5	168	300-18	SR43	
			110	90/100-17	M5				
			111	100/100-17	M5				
			112	12x45	M6				
			113	225-17	M7				



บริษัท อุตสาหกรรมผลิตยางไทยสิน จำกัด

THAI SIN RUBBER INDUSTRY CO.,LTD.

65 MOO 3 SETHAKIT 1 RD., OM-NOI, KRATUMBAN. SAMUTSAKORN 74130 THAILAND

TEL.(662) 810-4106-9, 420-1110, 420-1521

Direct Line Sales Department. (662) 810-4101

FAX. (662) 810-4550, (662) 810-4105

E-mail : Sales@thaisinrubber.com Website : www.thaisinrubber.com

Other Product : Bias truck / Light truck tyre / Tube and flap /
Bicycle tyre and tube

